



Right Tire for Your Application

FORLAS



RUNNERSOLID

Our **RunnerSolid** is designed for typical floor conditions in heavy duty warehouses and production applications, either indoor or outdoor. You can track performance with unique tread-wear-indicator.

and down 24/7 with a longest life time. Therefore, we call it ATIRE RunnerSolid.



Wide tread and maximum volume of wear resistant rubber for extra durability

EXTRA



24/7 OPERATION

Constant operation ensured by low heat built-up construction and compounds CEYLON RUBBER

Our tires are manufactured out of Sri Lanka's finest natural rubber






All lines have easy to read wear indicators to plan maintenance



Higher deflection by soft cushion compound increases footprint and vehicle protection





ROCKSOLID

Heavy load material handling operations on unpaved surface conditions require maximum traction and strength as possible. Therefore, our RockSolid line has a very open and deep tread pattern. The tread compound offers best cut and chunk resistance. Exclusively angle and designed lugs make our tire best-in-class on rough surface. Therefore, we call it **ATIRE RockSolid.**



MADE IN SRI LANKA

Our refined manufacturing process with the finest of Sri Lankan natural rubber has helped us produce millions of solid industrial tires under strict quality control. We utilize only the best chemicals approved by the European Chemical Directive (REACH).

All tires are designed in compliance with European Tire and Rim Technical Organization (ETRTO) and Tire and Rim Association (TRA) specifications to ensure full load capacity and safety standards. Our company is ISO9001:2015 certified.



| SIZE | | RIM WIDTH | |
|-------------|------------------------|------------|--|
| | 15" | | |
| 7.00 - 15 | | 5.50 | |
| 225/75 - 15 | 28 x 9 - 15, 8.15 - 15 | 7.00 | |
| 250/70 - 15 | 2.50 - 15 | 7.00, 7.50 | |
| 315/70 - 15 | 300 - 15 | 8.00 | |
| 355/45 - 15 | 28 x 12 1/2 - 15 | 9.75 | |
| 8.25 - 15 | | 5.50, 6.50 | |
| 355/65 - 15 | 32 x 12.1 - 15 | 9.75 | |

| | 20" |
|------------|---------------------|
| 10.00 - 20 | 7.50 , 8.00 |
| 12.00 - 20 | 8.00 , 8.50 , 10.00 |

RUNNERSOLID

| SIZE | | RIM WIDTH |
|-------------|----------------|-----------|
| | 8" | |
| 4.00 – 8 | | 3.00 |
| 125/75 - 8 | 15 x 4 1/2 - 8 | 3.00 |
| 150/75 - 8 | 16 x 6 - 8 | 4.33 |
| 180/75 - 8 | 18 x 7 - 8 | 4.33 |
| 5.00 - 8 | | 3.00 |
| | 9" | |
| 140/55 - 9 | 15 x 5 1/2 - 9 | 4.00 |
| 200/75 - 9 | 21 x 8 - 9 | 6.00 |
| 6.00 - 9 | | 4.00 |
| | 10" | |
| 200/50 - 10 | | 6.50 |
| 6.50 - 10 | | 5.00 |
| 225/75 - 10 | 23 x 9 - 10 | 6.50 |
| | 12" | |
| 7.00 - 12 | | 5.00 |
| 250/60 - 12 | 23 x 10 - 12 | 8.00 |
| 250/75 - 12 | 27 x 10 - 12 | 8.00 |
| | | |

Both lines are available in Standard and Clip. RunnerSolid also in Non-Marking

ATIRE

ATIRE helps customers
to focus on what really matters by
providing a genuine product with customer
oriented service and buying experience

www.forlas.net